# Multitrack Power Factor Correction Architecture

Minjie Chen, Member, IEEE, Sombuddha Chakraborty, Member, IEEE, and David J. Perreault, Fellow, IEEE

Abstract-Single-phase universal-input ac-dc converters are needed in a wide range of applications. This paper presents a novel power factor correction (PFC) architecture that can achieve high power density and high efficiency for grid-interface power electronics. The Multitrack PFC architecture reduces the internal device voltage stress of the power converter subsystems, allowing PFC circuits to maintain zero-voltage-switching (ZVS) at high frequency (1 MHz-4 MHz) across universal input voltage range (85  $V_{AC}$ –265  $V_{AC}$ ). The high performance of the power converter is enabled by delivering power in multiple stacked voltage domains and reconfiguring the power processing paths depending on the input voltage. This Multitrack concept can be used together with many other design techniques for PFC systems to create mutual advantages in many function blocks. A prototype 150 W, universal ac input, 12  $V_{DC}$  output, isolated Multitrack PFC system with a power density of 50 W/in<sup>3</sup> and a peak end-to-end efficiency of 92% has been built and tested to verify the effectiveness of the Multitrack PFC architecture.

*Index Terms*—AC-DC power conversion, Power factor correction, Multitrack architecture, Grid-tied power electronics.

#### I. INTRODUCTION

Single-phase universal input-voltage ac-dc converters are widely used in applications ranging from telecom servers to electric vehicle chargers [1]–[7]. Power electronics designs in these systems require high efficiency and high power density. Moreover, high power factor and wide-operation range is desirable to best extract power from the ac grid to dc loads. Increasing the switching frequency [6]-[11] (e.g., into the multi-MHz range) can reduce the size of the passive components and is an effective way of improving power density. Soft switching and reduced device stress can help preserve high efficiency [12]–[15]. This paper presents a Multitrack PFC architecture that enables high frequency ac-dc systems that operate efficiently across wide input voltage range, and can significantly reduce the passive component size to achieve high power density. The Multitrack architecture represents a new design method to improve the power density of singlephase grid interface systems which can be used in combination with many existing methods such as high frequency operation [6]–[10], bridge-less PFC with ZVS extension techniques [11], and active energy buffer technologies [16]–[18].

Figure 1 shows a typical 2-stage PFC system with a low voltage dc output. It comprises a ac-dc power factor correction (PFC) stage and a magnetic isolation stage. The PFC stage is usually implemented as a diode rectifier and a boost



Input current modulation (power factor correction)

Fig. 1. A classic two-stage PFC architecture with a boost PFC and an isolation stage (e.g., a LLC converter).



Fig. 2. Block diagram of a Multitrack dc-dc architecture [1].



Fig. 3. Block diagram of a Multitrack PFC architecture [25].

converter. The boost converter can be operated in continuous conduction mode (CCM), boundary conduction mode (BCM) or discontinuous conduction mode (DCM) [12]. The isolation stage is usually implemented as a series resonant converter, an LLC converter, or a dual-active-bridge (DAB) converter [19]–[21]. The isolation stage functioning as a dc transformer with relatively fixed voltage conversion ratio to improve the efficiency and power density of that stage. The twice-line-frequency energy buffer function is performed by a dc-link capacitor between the two stages.

There are multiple ways of improving the performance of this PFC architecture. To reduce the component count, singlestage PFC architectures have been explored [4]. To reduce the diode forward-voltage drop loss, bridge-less architectures such as totem-pole PFCs are widely adopted [5], [22]. With DCM

M. Chen is with the Department of Electrical Engineering and the Andlinger Center for Energy and the Environment, Princeton University, Princeton, NJ 08540, USA (e-mail: minjie@princeton.edu).

S. Chakraborty is with the Kilby Labs, Texas Instruments, Santa Clara, CA 95051, USA (e-mail: s-chakraborty@ti.com).

D. J. Perreault is with the Department of Electrical Engineering and Computer Science, Massachusetts Institute of Technology, Cambridge, MA 02139, USA (e-mail: djperrea@mit.edu).



Fig. 4. Schematic of a Multitrack PFC with a grid-interface PFC stage and a merged isolation stage.

operation and valley voltage detection, zero-voltage-switching of the boost switch can be achieved at high frequency, enabling smaller inductor size and low switching loss [23]. Alternative topologies can achieve high-frequency ZVS operation over much wider ranges [9]. The dc-link capacitor can be replaced by an active energy buffer to achieve high power density [16]– [18]. By operating at high frequency, using planar magnetics, and applying dual-active-bridge techniques, the efficiency and power density of the isolation stage can be greatly improved [1], [7], [13].

This paper presents a Multitrack PFC architecture to improve the performance and reduce the size of grid-interface PFC converters. Instead of focusing on each single function block of a PFC system, this architecture creates mutual advantage across multiple function blocks by appropriately merging them together and reducing the overall power conversion stress. It can be used together with many other existing methods to achieve optimal system performance. By increasing the circuit complexity and component count, the Multitrack PFC reduces the overall switch stress, reduces the energy storage requirement, and reduces the dv/dt, and enables higher power density and smaller size while maintaining similar efficiency performance as traditional solutions.

Figure 2 shows the block diagram of a previously explored Multitrack dc-dc architecture [1], [24], which is a key building block of the proposed Multitrack PFC architecture. The Multitrack dc-dc architecture comprises a switched-inductor circuit, a switched-capacitor circuit, and a magnetic isolation circuit, with their functions partially merged. The switched-inductor circuit regulates the voltage, the magnetic isolation circuit offers isolation and voltage scaling, and the switched-capacitor circuit creates multiple intermediate bus voltages  $(V_1, V_2, V_3, V_3)$ etc) that bridge the two previous sub-circuits. These subcircuits are not independent: the switched-inductor circuit couples into the multiple levels of the switched-capacitor circuit as the regulation stage; likewise, the switched-capacitor circuit is merged with the magnetic isolation circuit by reusing the switches of the switched-capacitor circuits to drive the shared transformer. Voltage regulation is principally performed by the switched-inductor circuit. The effectiveness of the Multitrack dc-dc architecture was previously demonstrated in a dc-dc telecom brick converter with extremely wide input voltage (>4:1) range and high power density  $(>450 \text{ W/in}^3)$  [1].

The Multitrack PFC architecture as shown in Fig. 3 is an ac-

dc extension of the Multitrack dc-dc concept. The Multitrack PFC architecture inherits the Multitrack dc-dc architecture's capability of efficiently handling an extremely wide input voltage range with low component stresses. Compared to the previous dc-dc implementation [1], the Multitrack PFC architecture interfaces with the ac grid, has additional voltage and current control loops to modulate the input current and regulate the output voltage, and has an energy buffer that functions as a part of the switched-capacitor circuit. The Multitrack PFC architecture leverages the advantages of the Multitrack dc-dc architecture, and address the unique challenges in achieving soft-switching at high frequencies across universal ac line voltage while performing PFC and voltage regulation. This paper is developed from our earlier conference publication [25] and presents extended theoretical analysis and experimental results.

The remainder of this paper is organized as follows: Section II presents the key principles of the Multitrack PFC architecture, including steady-state operation and mode-switching actions of the PFC stage. The details of the system control, voltage regulation, and zero-voltage-switching are presented in Section III. Section IV presents the key principles of the switched capacitor circuit and isolation stage. Section V discusses the grid interface and startup strategy. Section VI summarizes the key advantages of the Multitrack PFC architecture. Details about the prototype design and experimental results are provided in Section VII. Section VIII discusses a few ways to further improve the performance of the Multitrack PFC architecture. Finally, Section IX concludes this paper.

#### **II. MULTITRACK PFC PRINCIPLES**

Figure 4 shows the topology of an example 2-Track Multitrack PFC converter. The key principles are:

1) The circuits between  $C_B$  and  $C_{OUT}$  including the transformer function as a dc-transformer with fixed voltage conversion ratio (from 420V to 12V). During normal operation, the voltage on energy buffer capacitor  $C_B$  is maintain at an approximately fixed bus voltage (e.g., 420V). The 2:1 switched capacitor stage (comprising  $S_1$ - $S_4$  &  $C_1$ - $C_3$ ) maintains the voltage balancing of  $C_1$ - $C_3$  (e.g., 210V each).  $S_1$ - $S_2$  &  $S_3$ - $S_4$  formulate two half-bridge pairs that drive the two primary windings in a synchronized fashion. With a nearly fixed voltage conversion ratio, this dc-transformer can be optimized to achieve high efficiency and high power density across a



Fig. 5. Boost stage of the Multitrack PFC F architecture.



Fig. 6. Example ZVS waveforms in Mode 4 operation with  $S_B$  in ZVS.



Fig. 7. Example mode switching strategy for three line input voltages.

wide power range, as demonstrated in [13]. Of course, the second stage can be modulated to compensate the ripple in the energy buffer capacitor voltage.

2) The inclusion of  $C_3$  adds a switched capacitor mechanism in the Multitrack architecture to passively maintain the voltage balance of stacked voltage domains. Without  $C_3$ , the control of the PFC stage is coupled with the control of the isolation stage, placing challenges in controller design. As a part of the switched-capacitor circuit, the physical size of  $C_3$  is very small. If the primary windings provide sufficient inductive impedance, or if a small inductor is added in series with  $C_3$ to create a resonant path,  $C_3$  is soft-charged [31] and there is no charge transfer loss. The principles of the hybrid switchedcapacitor and LLC mechanism in the Multitrack architecture are shown in Fig. 8.

3) The circuit elements from  $C_{IN}$  to  $C_B$  form a PFC mechanism which can deliver current (and power) into either or both of the two stacked voltage domains ( $V_{C1}$  and  $V_{C2}$ ). As a result of switched capacitor energy transfer, the voltage of  $C_B$  is twice that of  $C_2$ . In other words, if the voltage of  $C_B$  is maintained at 420V, the voltage of  $C_2$  is naturally maintained at 210V. Selecting appropriate levels to switch  $v_X$  among reduces the voltage drop across the boost inductor  $L_R$ , reduces the dv/dt at the switching nodes, and enables zero-voltage-switching (ZVS) of  $S_A$  and  $S_B$  across wide input voltage range. These features are not achievable in a conventional boost PFC configuration.

The Multitrack PFC architecture is well suited for universal input ac-dc applications ( $85V_{AC}-265V_{AC}$ ). Grid-interface PFC specifications such as EN61000-3-2 have a threshold input voltage below which the converter is turned off. We denote this threshold voltage as  $V_{TH}$ . The steady state voltage of  $C_B$ ,  $V_{BUS}$ , is selected as 420V. Across the line cycle, the Multitrack PFC architecture has five operation modes:

- Mode 1: When  $0V < v_{IN} < V_{TH}$ , both  $S_A$  and  $S_B$  are kept off and the converter is off.  $V_{TH}$  should be optimally adjusted depending on the input voltage and power level to achieve highest efficiency while meeting the grid interface requirements.
- Mode 2: When  $V_{TH} < v_{IN} < 1/4V_{BUS}$ ,  $S_B$  is kept on, and  $S_A$  actively switches.  $L_R$ ,  $S_A$ ,  $D_A$  function as a QSW (quasi-square-wave, or valley-switched) boost converter with an output voltage of  $1/2V_{BUS}$ . Switched capacitor energy transfer of  $S_1$ - $S_4$  balances the voltage



Fig. 8. Principles of the hybrid switched-capacitor LLC structure. Two stages are merged together to create mutual advantages.

of  $C_1$  and  $C_2$ . Since  $v_{IN}$  is smaller than  $1/4V_{BUS}$ , the voltage at the drain of  $S_A$  can resonate to ground, enabling ZVS turn on of  $S_A$ . This configuration also reduces the dv/dt at the switch node, which facilitates the high frequency operation of the boost converter.

- Mode 3: When  $1/4V_{BUS} < v_{IN} < 1/2V_{BUS}$ ,  $S_B$  is kept off, and  $S_A$  actively switches.  $L_R$ ,  $S_A$ ,  $D_A$ ,  $D_B$  function as another QSW boost converter with an output voltage of  $V_{BUS}$ . Similarly, since  $v_{IN}$  is smaller than one half of  $V_{BUS}$ , ZVS turn on of  $S_A$  is enabled. In this operation mode, the PFC stage functions as a conventional boost converter feeding current into the dc voltage  $V_{BUS}$ . Note that  $D_A$  and  $D_B$  both only need to be rated at  $1/2V_{BUS}$ .
- Mode 4: When  $1/2V_{BUS} < v_{IN} < 3/4V_{BUS}$ ,  $S_A$  is kept off, and  $S_B$  actively switches,  $L_R$ ,  $S_B$ ,  $D_B$  function as a QSW boost-derived converter delivering energy into both the  $1/2V_{BUS}$  and  $V_{BUS}$  nodes, with  $D_A$  effectively operating in series with  $L_R$ . With  $D_A$  acting in series with  $L_R$ , the operation of this converter is different from a conventional boost converter. When  $D_A$ ,  $D_B$  and  $S_A$  are off,  $L_R$  resonants with the lumped parasitic capacitances of  $D_A$ ,  $D_B$ ,  $S_A$ , and  $S_B$ . Fig. 5 and Fig. 6 illustrate the operation details. The inductor current linearly ramps up when  $S_B$  is on. When the inductor current is positive and the diodes  $D_A$  and  $D_B$  are both on, both  $v_X$  and  $v_Y$ are  $V_{BUS}$ . After the inductor current reverses its polarity,  $D_B$  and  $D_A$  are turned off.  $v_X$  and  $v_Y$  drops and  $v_X$ resonates from  $V_{BUS}$  to  $2v_{IN} - V_{BUS}$ . In general, the circuit can be analyzed as a capacitive voltage divider network, and the lowest voltage that  $v_Y$  can reach is  $V_{BUS} - \frac{2C_{DA}(V_{BUS} - V_{IN})}{C_{DA} + C_{SB} + C_{DB}}$ . With sufficient energy storage in the inductor,  $v_Y$  can drop to  $1/2V_{BUS}$  and will be clamped at  $1/2V_{BUS}$  by the body diode of  $S_B$ .  $v_X$  drops until  $i_{LR}$  changes direction.



Fig. 9. Schematic of an example Multitrack bridgeless PFC.

• Mode 5: When  $v_{IN} > 3/4V_{BUS}$ ,  $S_A$  is kept off, and  $S_B$  actively switches. In this mode  $S_B$  cannot achieve ZVS, but can achieve reduced voltage turn-on (switch when the drain voltage reaches the minimum).

Fig. 7 illustrates the mode-selection actions of the PFC converter for three different line voltages. With  $85V_{\rm AC}$  input, the converter operates in Modes 1–3 in a quarter line cycle. With  $110V_{\rm AC}$  input, the converter operates in Modes 1–4 in a quarter line cycle. With  $265V_{\rm AC}$  ac input, the converter operates in all five modes in a quarter line cycle.

The Multitrack PFC concept can be merged together with many other approaches to further improve the performance of single-phase grid-interface systems. For example, replacing the boost diode with synchronous switches can eliminate the diode forward voltage loss, as can the use of a bridgeless frontend structure to eliminate line-frequency rectification loss. The schematic of an example Multitrack bridgeless-PFC is shown in Fig. 9. The single energy buffer capacitor,  $C_{BUF}$ , can be replaced with an active energy buffer to further reduce the system size. The height of the electrolytic capacitor is the limitation of reducing the system height. Novel active energy buffer architectures can be developed to leverage the Multitrack concept [26]. Design techniques to reduce the loss or expand the operation range of the isolation stage, such as the variable frequency multiplier (VFX) technology described in [27], can be used together with the Multitrack architecture.

The single-phase Multitrack architecture can be extended to three-phase by paralleling three bridgeless PFC stages and eliminating the diode rectifier. The isolation stage doesn't need to be changed. The twice-line-frequency energy buffer is not needed. The Multitrack concept scales well to kilo-watt applications because: 1) it allows the usage of low voltage rating devices in high voltage applications; 2) it reduces the voltage drop across the inductor and reduces the inductor size; 3) it reduces the dv/dt at the switch nodes, mitigating the challenges of driving high voltage semiconductor devices; 4) it reduces the effective common-mode capacitance of the isolation transformer. For high voltage high power applications, the Multitrack architecture shares similar advantages as Modular Multilevel Converters (MMCs) and Flying Capacitor Multilevel Converters (FCMLs) concepts, and uniquely focuses on merging switched-capacitor circuits with multiwinding magnetic structures.



Fig. 10. Control diagram of the Multitrack PFC stage.  $V_{IN}$ ,  $V_{BUS}$ ,  $V_X$  and  $V_Y$  are measured and the two gate signals,  $V_{GX}$  and  $V_{GY}$ , are the outputs.

#### III. SYSTEM CONTROL AND ZERO-VOLTAGE-SWITCHING

The implemented Multitrack PFC system has four control loops - two high frequency ZVS loops to control ZVS timing of  $S_A$  and  $S_B$ , respectively; one feedback loop which regulates the bus voltage  $C_B$ ; and one feedback loop that modulates the input current to follow a sinusoidal pattern. Fig. 10 shows the control framework of the Multitrack PFC. VIN, VBUS,  $V_X$  and  $V_Y$  are measured and the two gate signals,  $V_{GX}$  and  $V_{GY}$ , are the outputs. Each of the two ZVS control loops comprises two comparators with programmable thresholds and a few logic gates. One comparator senses the voltage of the switch node and sets the turn-on timing to achieve ZVS, while the other comparator is used to realize switch on-time based control to approximately implement inductor current control and sets the turn-off timing. [6]-[9] show the key operation principles of this ZVS detection circuit, and provide other examples of this general on-time-based current control strategy. These comparator-based controls operate at multiple MHz and maintain ZVS of the two switches regardless of the circuit parameters. The inductor current control loop and the bus voltage regulation loop are implemented in a microcontroller. The voltage control loop of the Multitrack PFC is implemented as a PI controller, the 60Hz current modulation is controlled by setting the on-time of the switch, which is similar to a DCM boost PFC.

When the input voltage is close to the boundary between two modes, a hysteresis margin needs to be implemented to avoid system oscillation between two modes. In a 2track Multitrack converter, the mode-switching boundaries are  $\frac{1}{4}V_{BUS}$ ,  $\frac{1}{2}V_{BUS}$ , and  $\frac{3}{4}V_{BUS}$ . When the system operates close to the mode-switching boundary, the ZVS detection circuit may not be triggered [6], thus the ZVS valley detection circuit should be disabled and the switched are hard-switched. A wide hysteresis margin guarantees smooth transition, at the cost of higher switching loss. In our prototype, a hysteresis margin of 5%  $V_{BUS}$  around the mode-switching boundary can safely enable smooth mode transition.

One key advantage of the proposed Multitrack PFC architecture is that it significantly extends the ZVS range of universal-input single-phase PFC converters. In a conventional boost PFC system with valley switching, the maximum input voltage for the boost switch to achieve ZVS is  $1/2V_{BUS}$ , i.e., the input voltage has to be lower than one half of the dc bus voltage to realize ZVS. In a 2-Track Multitrack PFC, the maximum input voltage for ZVS is extended to  $3/4V_{BUS}$ , covering a very wide input voltage range. The ZVS range can be further extended with more stacked tracks. Depending on the input voltage and the operating current, there are six possible ZVS states of the Multitrack PFC as shown in the six sub-figures of Fig. 11:

- State A:  $S_B$  is kept on, and  $S_A$  is switching. The PFC stage function as a boost converter with  $1/2V_{BUS}$  as the output voltage. If  $v_{IN}$  is lower than  $1/4V_{BUS}$ , ZVS on  $S_A$  is achived as if  $S_A$  was in a typical boost converter. During the ZVS transition period,  $C_{DA}$  and  $C_{SA}$  are effectively connected in parallel and resonant with  $L_R$ . The ZVS transition resonant angular frequency is  $\omega_{ZVS} = 1/\sqrt{L_R(C_{DA} + C_{SA})}$ .
- State B:  $S_B$  is kept off, and  $S_A$  is switching. The PFC stage functions as a boost converter with  $V_{BUS}$  as the output voltage. If  $v_{IN}$  is lower than  $1/2V_{BUS}$ , and if  $v_x$  reaches ground before  $v_Y$  reaches  $1/2V_{BUS}$ , ZVS on  $S_A$  is achived as if  $S_A$  was in a boost converter. During the ZVS transition period,  $C_{SB}$ ,  $C_{DB}$  and  $C_{DA}$  formulates a capacitor network which is connected in parallel with  $C_{SA}$  to resonant with  $L_R$ . The ZVS transition resonant angular frequency is  $\omega_{ZVS} = 1/\sqrt{L_R(C_{SA} + C_{DA})|(C_{DB} + C_{SB}))}$ .
- State C:  $S_B$  is kept off, and  $S_A$  is switching.  $v_Y$  reaches  $1/2V_{BUS}$  and is clamped by the body diode of  $S_B$  before  $v_X$  reaches ground. The voltage transition of  $v_X$  has two piecewise steps. Before  $v_Y$  reaches  $1/2V_{BUS}$ ,  $C_{DB}$  and  $C_{SB}$  are connected in parallel, then connected in series with  $C_{DA}$ , and connected in parallel with  $C_{SA}$  and resonant with  $L_R$ . The ZVS transition resonant angular frequency is  $\omega_{ZVS} = 1/\sqrt{L_R(C_{SA} + C_{DA})|(C_{DB} + C_{SB}))}$ . After  $v_Y$  reaches  $1/2V_{BUS}$ ,  $v_Y$  is clamped at  $1/2V_{BUS}$  by  $D_B$ , and  $L_R$  is only connected in parallel with  $C_{DA}$  and  $C_{SA}$ . The ZVS transition resonant angular frequency becomes  $\omega_{ZVS} = 1/\sqrt{L_R(C_{DA} + C_{SA})}$ . Fig. 11C shows the two-step ZVS transient of  $v_X$  the slope of the resonant



Fig. 11. Six ZVS operating states of the Multitrack PFC: A)  $S_A$  achieves ZVS with  $v_{IN} < 1/4V_{BUS}$ ; B)  $S_A$  achieves ZVS with  $1/4V_{BUS} < v_{IN} < 1/2V_{BUS}$  while  $v_Y$  does not reach  $1/2V_{BUS}$ ; C)  $S_A$  achieves ZVS with  $1/4V_{BUS} < v_{IN} < 1/2V_{BUS}$  while  $v_Y$  is clamped at  $1/2V_{BUS}$ ; D)  $S_B$  achieves ZVS with  $1/2V_{BUS} < v_{IN} < 1/2V_{BUS} < v_{IN}$ ; E)  $S_B$  doesn't achieve ZVS but switch as low drain-to-source voltage; F) Input current is not high enough to force the diode on.

curve changes when  $v_Y$  crosses  $1/2V_{BUS}$ .

• State D:  $S_A$  is kept off, and  $S_B$  is switching. The voltage transition of  $v_Y$  has multiple steps. After  $S_B$  is switched off,  $v_Y$  starts to drop from  $V_{BUS}$  to  $1/2V_{BUS}$ , and  $v_X$  starts to drop from  $V_{BUS}$  to ground but may not be able to reach ground. As  $v_X$  drops,  $C_{SA}$ ,  $C_{DA}$ ,  $C_{SB}$  and  $C_{DB}$  function as a voltage divider that determines the transients of  $v_X$  and  $v_Y$ . After  $v_Y$  reaches  $1/2V_{BUS}$ ,  $S_B$  can be turned on with ZVS. The inductor first resonate with  $C_{DA}$  and brings  $v_X$  back to  $1/2V_{BUS}$ , then is charged

up linearly while connected between  $v_{IN}$  and  $1/2V_{BUS}$ .

- State E: When  $v_{IN}$  is close to  $3/4V_{BUS}$ ,  $v_Y$  cannot reach  $1/2V_{BUS}$ . ZVS of  $S_B$  cannot be achieved. However, the voltage across  $S_B$  is still lower than  $1/2V_{BUS}$ , allowing  $S_B$  to be turned on with reduced drain-to-source voltage.
- State F: When the input current is very low, the inductor current  $i_{LR}$  may not be high enough to charge up  $v_X$  and  $v_Y$  and force the diode on. The system is trapped in a resonant mode without transferring energy between the input and the output. In the prototype system, an internal control loop detects this condition and stops this operation. The action of the circuit will restart when the input voltage reaches a higher level in a line cycle.

#### IV. SWITCHED CAPACITOR AND ISOLATION STAGE

In the merged isolation stage, the combination of the switched capacitor circuits and the MISO transformer (the *hybrid switched-capacitor/magnetics* circuit structure [1]) creates both soft-switching and soft-charging opportunities [28]–[31] for the switched-capacitor switches. As shown in Fig. 4, the operation of  $S_1$ - $S_4$  can be interpreted as the superposition of a switched-capacitor circuit and two series-resonant circuits. The switched-capacitor circuit comprises  $S_1$ - $S_4$ , and  $C_1$ - $C_3$ .  $S_1$  and  $S_2$  are one pair of half bridge switches.  $S_3$  and  $S_4$  are another pair of half bridge switches.  $S_1$  and  $S_2$  and  $S_4$  are synchronously switched as the other phase. Energy is transferred by  $C_3$  across the two voltage domains. The utilization of switched-capacitor energy transfer enables high efficiency and high power density.

At the same time,  $S_1$ ,  $S_2$ ,  $C_{res1}$ ,  $L_{res1}$  formulate one LLC circuit, and  $S_3$ ,  $S_4$ ,  $C_{res2}$ ,  $L_{res2}$  formulate the other LLC circuit. The two LLC circuit are coupled by the magnetizing inductance  $L_M$  of the transformer, adding one additional path for energy transfer between the two voltage domains. We utlize a series-resonant isolation stage here, but it will be recognized that other isolation stage designs could likewise be used. This transformer in the prototype system is efficiently implemented as a printed-circuit-board (PCB) embedded transformer with well controlled parameters [13]. The switched capacitor energy transfer and the resonant energy transfer function together. When the input voltage is low, significant power is processed by the switched-capacitor mechanism - the switches consequently see a net capacitive load and are hard-switched; when the input voltage is high, the power is processed by the seriesresonant mechanism (and delivered to the output) is sufficient to offset the capacitive energy transfer such that the switches have a net inductive load, enabling ZVS, which is beneficial for high frequency designs.

The two half-bridge resonant converters stacked in the two voltage domains are designed to form an LLC converter with a resonant tank with low quality factor - Q. A low Q tank can tolerate the small mismatch between the two leakage inductances of the transformer primary windings, allowing balanced current sharing between the two half-bridge resonant converters. A high Q tank can provide voltage regulation capability on the isolation stage to compensate for the voltage



Fig. 12. A sinusoidal waveform with a cutoff angle of  $10^{\circ}$  near the zero-crossing. A cutoff angle enables wider ZVS range and higher system efficiency.



Fig. 13. Power factor and total harmonic distortion (THD) of a Multitrack PFC with a cutoff angle between  $0^{\circ}$  and  $45^{\circ}$ . A cutoff angle of  $10^{\circ}$  leads to a power factor of 99.9% and a THD of 4.3%.

ripple on the buffer capacitor, or provide longer hold-up time. Similar to a LLC design, one can make trade-offs among the switching loss, conduction loss and magnetics loss by sizing the magnetizing inductance of the transformer.

#### V. GRID INTERFACE AND STARTUP STRATEGY

The Multitrack PFC interfaces with the ac grid through boundary-conduction-mode (BCM) operation. When the line voltage is very low (near zero-crossing), with high power factor grid-interface, the peak inductor current may not be high enough to fully charge/discharge the parasitic capacitance and enable ZVS. As a result, it is preferable to implement a cut-off angle near the zero-crossing of the line voltage. During this cutoff period, the PFC is kept off. Fig. 12 shows a sinusoidal waveform with a cutoff angle of  $10^{\circ}$  near the zero-crossing. Fig. 13 shows the power factor and the totalharmonic-distortion (THD) for a sinusoidal waveform with a cutoff angle between 0 degree and 45 degree. A cutoff angle of  $10^{\circ}$  leads to a power factor of 99.9% and a THD of 4.3%.

The switched capacitor circuit needs to be be precharged to enable steady state operation of the ZVS detection circuit. To charge the bus voltage smoothly to the pre-determined  $V_{BUS}$ , a four-step startup strategy has been developed.

TABLE I Design Specifications of the Prototype PFC.

| Specifications            | Values  |
|---------------------------|---|
| Input Voltage             | 85 V <sub>AC</sub> – 265 V <sub>AC</sub>                      |
| Output Voltage            | Isolated & regulated 12 $V_{DC}$                              |
| Rated Power               | 150 W   |
| Volume                    | 3 inch <sup>3</sup> , 3.5 in $\times 2.15$ in $\times 0.4$ in |
| DC Bus Voltage            | $420 \text{ V}_{\text{DC}}$                                   |
| PFC Frequency             | 1 MHz – 4 MHz   |
| Isolation Stage Frequency | 500 kHz – 700 kHz   |
| Boost Inductor Size       | 10 µH   |
| Buffer Capacitor Size     | $66 \mu F$  |
|                           |   |

- Step 1: High-side Switch PWM Mode. Switch  $S_B$  is operated with a fixed duty ratio and  $S_A$  is kept off until the bus voltage reach  $1/2V_{BUS}$ . The converter runs in open-loop and senses  $v_{BUS}$ .
- Step 2: Low-side Switch PWM Mode. Switch  $S_A$  is operated with a fixed duty ratio and  $S_B$  is kept off until bus voltage reach  $3/4V_{BUS}$ . The converter runs in open-loop and senses  $v_{BUS}$ .
- Step 3: Voltage Regulation & Non-ZVS Mode. PI voltage regulation of the bus is initiated, but operating the boost stage as a PWM converter with variable on-time and fixed off-time. The converter runs in closed-loop, senses  $v_{BUS}$  and regulates  $i_{LR}$ .
- Step 4: Voltage Regulation & ZVS Mode. The converter runs in closed-loop, senses  $v_{BUS}$ , regulates  $i_{LR}$ , and operates in ZVS.

The switched capacitor half-bridge switches  $S_1$ - $S_4$  are kept operating during the entire startup process.  $C_1$  and  $C_2$  are charged simultaniously with low loss and low inrush current.

When the input voltage is close to the boundary between two modes, a hysteresis margin needs to be implemented to avoid system oscillation between two modes. In a 2-track implementation, the mode-switching boundaries are  $\frac{1}{4}V_{BUS}$ ,  $\frac{1}{2}V_{BUS}$ , and  $\frac{3}{4}V_{BUS}$ . A 5% $V_{BUS}$  hysteresis margin is sufficient to maintain smooth mode-transition. Note the ZVS valley detection circuit may not trigger when the voltage is close to the mode-boundary. If the ZVS valley detection circuit doesn't trigger, the system is lock in one mode and the converter will stop functioning. We disabled the ZVS valley detection circuit and hard switch the switches when the input voltage is within the hysteresis margin. This strategy is implemented in our design and the hard-switching loss is negligible.

#### VI. ADVANTAGES OF THE MULTITRACK PFC

In summary, the proposed Multitrack PFC architecture has the following advantages:

- *Extended ZVS range*: In a conventional boost PFC architecture, the boost converter cannot achieve ZVS when the input voltage is larger than one half of the bus voltage. The Multitrack architecture enables wider ZVS range.
- *Smaller boost inductor size*: The Multitrack architecture can significantly reduce the voltage drop across the boost inductor and reduce the required inductor size.

 TABLE II

 Bill of Materials (BOM) of the Prototype Converter.

| Device Symbol          | Component Description                |  |  |  |  |
|------------------------|--------------------------------------|--|--|--|--|
| $S_1 - S_4, S_A - S_B$ | GaN Systems 650V 66502B              |  |  |  |  |
| $D_A - D_B$            | 2x CREE C3D1P7060 SiC Schottky       |  |  |  |  |
| $L_R$                  | $10\mu$ H EQ13 3F45 core             |  |  |  |  |
| $C_{in}$               | X5R Ceramic, 500V, 100nF             |  |  |  |  |
| $C_1, C_2$             | X7R Ceramic, 500V, $2\mu$ F          |  |  |  |  |
| $C_3$                  | X7R Ceramic, 500V, 2 $\mu$ F         |  |  |  |  |
| $C_{BUF},$             | Panasonic 450V electrolytic          |  |  |  |  |
| $C_{out}$              | X5R Ceramic, 25V, 1000 $\mu$ F       |  |  |  |  |
| $C_{res1}, C_{res2}$   | COG ceramic, 250V, 7nF               |  |  |  |  |
| $L_{res1}, L_{res2}$   | $11\mu$ F, 10 turns, 3F45, ER11      |  |  |  |  |
| MISO Transformer       | EQ30, 3F45, ratio 8:8:1, 6-layer PCB |  |  |  |  |
| $Q_1 - Q_4$            | 8x EPC2023C GaNFETs                  |  |  |  |  |



Fig. 14. A prototype Multitrack PFC and a US quarter. This converter can take universal ac input and produce isolated  $12 V_{\rm DC}$  output with 150 W maximum power. The power density is 50W/inch<sup>3</sup>.

- Reduced dv/dt on switches: Benefiting from the multiple stacked voltage domains, the dv/dt at the many switch nodes are lower than the dv/dt at the switch nodes of conventional PFC architectures. The reduced dv/dt also reduces the common-mode current injection from the primary windings to the secondary windings.
- *Reduced voltage rating*: Similar to the Multitrack dc-dc converter, the voltage rating of the switches in a Multitrack PFC are also reduced, leading to lower conduction losses and smaller parasitics, and further facilitating high-frequency operation.
- *Better heat distribution*: The Multitrack power conversion architecture naturally distributes heat on the printed circuit board, pushing the fundamental efficiency/powerdensity tradeoff boundaries.

## VII. PROTOTYPE AND EXPERIMENTAL RESULTS

A prototype Multitrack PFC converter has been built and tested. The key design parameters of the prototype are listed in Table I. The Bill-of-Material (BoM) of the prototype is listed in Table II. These component values are jointly optimized and experimentally tuned to achieve the highest performance across the wide operation range. The power stage of the converter is built following the schematic of Fig. 4,



Fig. 15. PCB layout of the prototype Multitrack PFC with key components labeled. AUX: auxiliary circuits; SC & INV: switched capacitor and inverter.

with GaN switches (GaN Systems and EPC), gate drives, analog control logic and other auxiliary circuits. A TI Piccolo F28069 microcontroller was utilized for voltage regulation, grid synchronization, startup control, and mode switching. Fig. 14 shows a picture of the prototype. The prototype achieves a power density of 50W/inch<sup>3</sup> with universal ac input voltage and isolated  $12V_{DC}$  output voltage. Fig. 13 shows the general component layout of the printed-circuitboard. The area occupied by the high frequency ZVS control circuitry can be integrated and further miniaturized to increase the power density of this system. The printed-circuit-board (PCB) transformer is implemented with a ELP30 core with 3F45 material from Ferroxcube. The electrolytic capacitors are mounted through a hole on the PCB board to minimize the overall system height (1cm as set by the electrolytic capacitor). Figs. 16-17 show the cross-section of the prototype and lumped circuit model of the PCB embedded transformer. Two  $11\mu$ H inductors are connected in series with the two primary windings of the transformer to assist in ZVS.

The parasitic capacitance of the transformer impacts the operation of the isolation stage through common-mode current injection at the switching frequency [1]. In a planar transformer, splitting a winding with a high number of turns into multiple windings with lower number of turns can reduce the common-mode current injection [13]. Due to the existence of the energy buffering capacitor  $C_B$ , the parasitic capacitance has no impact on the operation of the PFC stage.

Figs. 18-20 shows the measured waveforms of the Multitrack PFC system with ZVS operation. With different input voltages, the system operates in different modes with different ZVS transients as described in Section III. The ZVS range is greatly extended as expected. Fig. 21-23 shows the line voltage and line current of the prototype in three different operation modes. The implemented system does not have a current sensor. A state-machine with pre-calibrated multiplier indices act as a look-up table is implemented in the microcontroller to modulate the sinusoidal input current as a part of the voltage regulation loop. Figs. 24-25 shows the ZVS operation of the merged switched capacitor circuit and the isolationstage inverters. The PFC stage and the isolation stage operate at different frequencies. The dynamics of the PFC stage and isolation stage are decoupled by the energy buffer capacitor.



Fig. 16. Cross-section view of the PCB embedded transformer and the prototype Multitrack PFC converter.



Fig. 17. Lumped circuit model of the PCB planar transformer with two primary windings and one secondary winding [13].

Fig. 26 shows the startup waveforms of the prototype. The start-up of the system is realized following the 4-step method described in Section V. As demonstrated, this startup sequence can smoothly charge the energy buffer capacitor and ensure the system enters steady state operation with low inrush current. A look-up table was implemented in the microcontroller to set appropriate current modulation index and voltage thresholds during the startup process. During the startup, an auxiliary ac-dc power converter with low power rating and small size supports the operation of the control and driver circuits. After the system enters steady state operation, the control and driver circuitry are powered by an auxiliary winding on the isolation transformer. The half-bridges in the Multitrack architecture naturally refers to a few dc voltage levels. The drivers and control circuitry in each of the voltage domain can receive power from the buffer capacitor that holds the voltage for this domain without other auxiliary circuits. In the prototype design, auxiliary power for the two stacked domains are taken from  $C_1$  and  $C_2$ , respectively. Fig. 27 shows the measured transient waveforms of the prototype with the load current stepping from 4 A to 9 A. Fig. 28 shows the measured output voltage and switch node voltage for 2.5 line cycles.

Fig. 29 shows the measured efficiency of the full PFC system from universal ac input voltage to isolated  $12V_{\rm DC}$  output voltage. The full PFC reaches a peak efficiency of 92% at around 120W with  $220V_{\rm AC}$  input voltage. The peak



Fig. 18. ZVS waveforms with  $100V_{AC}$  input

and  $12V_{DC}$  output at 100W.

The formula of the fo

Fig. 19. ZVS waveforms with  $150 V_{\rm AC}$  input and  $12 V_{\rm DC}$  output at 100W.



 $_{\rm AC}$  input ~ Fig. 20. ZVS waveforms with  $250 V_{\rm AC}$  input and  $12 V_{\rm DC}$  output at 100W.



Fig. 21. Grid-interface waveforms with  $140 V_{\rm AC}$  input at 50W.



Fig. 24. ZVS of both the PFC stage and the isolation stage.



Fig. 22. Grid-interface waveforms with  $220 \mathrm{V}_{\mathrm{AC}}$  input at 100W.



Fig. 25. ZVS of the switched capacitor circuit and the resonant current.



Fig. 23. Grid-interface waveforms with  $250 \mathrm{V}_\mathrm{AC}$  input at 120W.



Fig. 26. Waveforms with  $120 V_{\rm AC}$  input and  $12 V_{\rm DC}$  output at 100W.

efficiency with  $110V_{AC}$  input voltage is 90.5%. The isolation stage reaches a peak efficiency of 97% at around 150 W. In this design, we carefully optimized the system to target a power density of 50 W/in<sup>3</sup>. Increasing the input inductor size and the transformer size and reducing the frequency would increase the efficiency, at the cost of reduced power density.

Fig. 30 shows the measured harmonic current of the prototype normalized to the limits required by EN61000-3-2:2014. The 150 W universal input PFC have the current harmonics below 65% of the standard limits and the THD is maintained below 16%. Current waveforms of the three operating conditions are shown in Fig. 21-23. The mode switching actions show up in the  $3^{rd} - 9^{th}$  harmomics, depending on the operating conditions. Fig. 31 shows the modeled loss breakdown of the Multitrack PFC as a function of the output power. When the output power is low (smaller than 50W), there is not enough current to enable the soft-switching of the switched-capacitor circuit. Thus the hard-switching loss of the hybrid switched capacitor and inverter circuit dominates the loss (over 70%). The core loss is also a major loss contributor in this regime, as expected. The difference between the modeled efficiency and the measured efficiency can be at least partially explained by the un-modeled charge-transfer loss of the switched capacitor circuit, as well as the un-modeled trace resistance on the prototype. In the medium-high power range (higher than 50W), the switched-capacitor circuit is soft-switching and the switching loss is rapidly reduced. The loss on the PFC stage becomes the major

 TABLE III

 Performance comparision of many recently published PFC designs and the Multitrack PFC.

|            | [32]                | [33]                | [34]                | [35]                | [36]                | [37]                | [38]                | [39]                | Multitrack          |
|------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Year       | 2014                | 2015                | 2016                | 2016                | 2017                | 2017                | 2018                | 2018                | 2018                |
| Power      | 310W                | 400W                | 50W                 | 65W                 | 60W                 | 600W                | 250W                | 250W                | 150W                |
| Universal  | Yes                 | Yes                 | No                  | No                  | Yes                 | Yes                 | Yes                 | Yes                 | Yes                 |
| Output V   | 28V                 | 400V                | 12V                 | 25V                 | 12V                 | 24V                 | 24V                 | 48V                 | 12V                 |
| Output I   | 11.0A               | 1.0A                | 4.2A                | 2.6A                | 5.0A                | 25.0A               | 10.4A               | 5.2A                | 12.5A               |
| Frequency  | 200kHz              | 200kHz              | 5MHz                | 1MHz                | 250kHz              | 500kHz              | 2MHz                | 500kHz              | 2MHz                |
| Efficiency | 93%                 | 96%                 | 88%                 | 94%                 | 92%                 | 92%                 | 95%                 | 94%                 | 92%                 |
| Density    | 10W/in <sup>3</sup> | 20W/in <sup>3</sup> | 50W/in <sup>3</sup> | 44W/in <sup>3</sup> | 20W/in <sup>3</sup> | 28W/in <sup>3</sup> | 35W/in <sup>3</sup> | 20W/in <sup>3</sup> | 50W/in <sup>3</sup> |
| PF         | 99%                 | 98%                 | 85%                 | N/A                 | N/A                 | N/A                 | 95%                 | 99%                 | 96%                 |



Fig. 27. Measured transient waveforms with a load current step from 4 A to 9 A. The output voltage has a peak-to-peak transient ripple of 500 mV.



Fig. 28. Measured output voltage across the line cycle. The energy buffering capacitor  $C_B$  decouples the PFC and the isolation stage and no low frequency ripple was observed at the output.

loss in the medium power range (between 50W and 100W). This is due to the diode forward voltage drop loss of the boost diode and the conduction loss of the boost inductor. When the output power is high (higher than 100W), the conduction loss of the output rectifier starts dominating (due to the high output current). The transformer contributes about 20%–30% of the overall loss across the full power range.



Fig. 29. Measured (circled) and modeled (solid) efficiency of the Multitrack PFC with with  $110V_{\rm AC}$  (solid),  $220V_{\rm AC}$  (circle) and  $265V_{\rm AC}$  (triangle) input and  $12V_{\rm DC}$  output.



Fig. 30. Harmonic current normalized to the limits required by EN61000-3-2:2014.

# VIII. CONCLUSIONS

This paper presents a Multitrack PFC architecture which offers many advantages compared to conventional PFC archi-



Fig. 31. Estimated loss break down of the Multitrack PFC with  $110V_{AC}$  (solid),  $220V_{AC}$  (circle) and  $265V_{AC}$  (triangle) input and regulated  $12V_{DC}$  output.



Fig. 32. Efficiency and power density of a few recent state-of-the-art PFC designs. With low output voltage (12V), and low power rating (150W), the Multitrack PFC prototype offers the highest power density  $(50W/in^3)$  while achieving 92% efficiency.

tectures. The Multitrack architecture leverages the advantages of switched-inductor, switched-capacitor, and magnetic isolation circuits, and gains mutual benefits from the way they are merged together by processing power in multiple voltage domains and current channels. Advanced control methodologies for maintaining ZVS across wide operation range is presented. A prototype universal ac input, 12 V<sub>DC</sub> output, 150 W, 50 W/inch<sup>3</sup> PFC system was designed and tested and achieved 92% of efficiency. The concept of Multitrack PFC is applicable to a wide range of ac-dc grid interface applications targeting high efficiency and very high power density.

## ACKNOWLEDGEMENTS

The authors would like to thank Texas Instruments, the Center for Integrated Circuits and Systems (CICS) at MIT, the Andlinger Center for Energy and the Environment (ACEE) at Princeton University, and the Siebel Energy Institute (SEI) for supporting this work.

#### REFERENCES

- M. Chen, K. K. Afridi, S. Chakraborty, and D. J. Perreault, "Multitrack Power Conversion Architecture," *IEEE Transactions on Power Electronics*, vol. 32, no. 1, pp. 325-340, Jan. 2017.
- [2] M. M. Jovanovic and Y. Jang, "State-of-the-art, single-phase, active power-factor-correction techniques for high-power applications - an overview," *IEEE Transactions on Industrial Electronics*, vol. 52, no. 3, pp. 701-708, June 2005.
- [3] L. Huber, Y. Jang and M. M. Jovanovic, "Performance Evaluation of Bridgeless PFC Boost Rectifiers," *IEEE Transactions on Power Electronics*, vol. 23, no. 3, pp. 1381-1390, May 2008.
- [4] J. Qian, Q. Zhao and F. C. Lee, "Single-stage single-switch power-factorcorrection AC/DC converters with DC-bus voltage feedback for universal line applications," *IEEE Transactions on Power Electronics*, vol. 13, no. 6, pp. 1079-1088, Nov 1998.
- [5] C. Marxgut, F. Krismer, D. Bortis and J. W. Kolar, "Ultraflat Interleaved Triangular Current Mode (TCM) Single-Phase PFC Rectifier," *IEEE Transactions on Power Electronics*, vol. 29, no. 2, pp. 873-882, Feb. 2014.
- [6] S. Lim, J. Ranson, D. M. Otten and D. J. Perreault, "Two-Stage Power Conversion Architecture Suitable for Wide Range Input Voltage," *IEEE Transactions on Power Electronics*, vol. 30, no. 2, pp. 805-816, Feb. 2015.
- [7] S. Lim, D. M. Otten and D. J. Perreault, "New AC–DC Power Factor Correction Architecture Suitable for High-Frequency Operation," *IEEE Transactions on Power Electronics*, vol. 31, no. 4, pp. 2937-2949, Apr. 2016.
- [8] A. J. Hanson, R. S. Yang, S. Lim and D. J. Perreault, "A soft-switched high frequency converter for wide voltage and power ranges," *IEEE International Telecommunications Energy Conference (INTELEC)*, Austin, TX, 2016, pp. 1-8.
- [9] A. J. Hanson, D. J. Perreault, "A High Frequency Power Factor Correction Converter with Soft Switching", *IEEE Applied Power Electronics Conference*, San Antonio, TX, USA, February, 2018.
- [10] A. J. Hanson, J. A. Belk, S. Lim, C. R. Sullivan, and D. J. Perreault, "Measurements and Performance Factor Comparisons of Magnetic Materials at High Frequency," *IEEE Transactions on Power Electronics*, Vol. 31, No. 11, pp. 7909-7925, Nov. 2016.
- [11] Z. Liu, B. Li, F. C. Lee and Q. Li, "High-Efficiency High-Density Critical Mode Rectifier/Inverter for WBG-Device-Based On-Board Charger," *IEEE Transactions on Industrial Electronics*, vol. 64, no. 11, pp. 9114-9123, Nov. 2017.
- [12] J. S. Lai and D. Chen, "Design consideration for power factor correction boost converter operating at the boundary of continuous conduction mode and discontinuous conduction mode," *IEEE Applied Power Electronics Conference and Exposition*, San Diego, CA, 1993, pp. 267-273.
- [13] M. Chen, M. Araghchini, K. K. Afridi, J. H. Lang, C. R. Sullian, and D. J. Perreault, "A Systematic Approach to Modeling Impedances and Current Distribution in Planar Magnetics," *IEEE Transactions on Power Electronics*, Jan. 2016.
- [14] D.J. Perreault, J. Hu, J. M. Rivas, Y. Han, O. Leitermann, R. C. N. Pilawa-Podgurski, A. Sagneri, and C. R. Sullivan, "Opportunities and Challenges in Very High Frequency Power Conversion," *IEEE Applied Power Electronics Conference*, pp. 1-14, Feb. 2009.
- [15] C. Le, M. Kline, D. L. Gerber, S. R. Sanders, and P. R. Kinget, "A Stackable Switched-Capacitor DC/DC Converter IC for LED Drivers with 90% Efficiency," *IEEE Custom Integrated Circuits Conference (CICC)*, pp.1-4, Sept. 2013.
- [16] M. Chen, K. K. Afridi, and D. J. Perreault, "Stacked Switched Capacitor Energy Buffer Architecture," *IEEE Transactions on Power Electronics*, 28(11): 5183-5195, Nov. 2013.
- [17] C. McHugh, J. Meyer, S. Pervaiz, J. Lu, F. Zhang, S. Sinha, H. Chen, A. Kumar, U. Anwar, S. Jensen, B. Choi, D. Seltzer, R.W. Erickson, D. Maksimovic and K. K. Afridi, "A High Power Density Single-Phase Inverter Using Stacked Switched Capacitor Energy Buffer," *IEEE Applied Power Electronics Conference and Exposition (APEC)*, Long Beach, CA, March, 2016.
- [18] S. Qin, Y. Lei, C. Barth, W. -C. Liu, R. C. N. Pilawa-Podgurski, "A High Power Density Series-Stacked Energy Buffer for Power Pulsation Decoupling in Single-Phase Converters", *IEEE Transactions on Power Electronics*, in press.
- [19] M. N. Kheraluwala, R. W. Gascoigne, D. M. Divan and E. D. Baumann, "Performance characterization of a high-power dual active bridge DC-to-DC converter," *IEEE Transactions on Industry Applications*, vol. 28, no. 6, pp. 1294-1301, Nov/Dec 1992.

- [20] D. Costinett, D. Maksimovic and R. Zane, "Design and Control for High Efficiency in High Step-Down Dual Active Bridge Converters Operating at High Switching Frequency," IEEE Transactions on Power Electronics, vol. 28, no. 8, pp. 3931-3940, Aug. 2013.
- [21] Z. Hu, Y. Qiu, L. Wang and Y. F. Liu, "An Interleaved LLC Resonant Converter Operating at Constant Switching Frequency," IEEE Transactions on Power Electronics, vol. 29, no. 6, pp. 2931-2943, June 2014.
- [22] B. Su, J. Zhang and Z. Lu, "Totem-Pole Boost Bridgeless PFC Rectifier With Simple Zero-Current Detection and Full-Range ZVS Operating at the Boundary of DCM/CCM," IEEE Transactions on Power Electronics, vol. 26, no. 2, pp. 427-435, Feb. 2011.
- [23] Z. Liu, F. C. Lee, Q. Li and Y. Yang, "Design of GaN-Based MHz Totem-Pole PFC Rectifier," IEEE Journal of Emerging and Selected Topics in Power Electronics, vol. 4, no. 3, pp. 799-807, Sept. 2016.
- [24] M. Chen, K. K. Afridi, S. Chakraborty, and D. J. Perreault, "A highpower-density wide-input-voltage-range isolated dc-dc converter having a Multitrack architecture," IEEE Energy Conversion Congress and Exposition (ECCE), Montreal, QC, 2015, pp. 2017-2026.
- [25] M. Chen, S. Chakraborty, and D. J. Perreault, "Multitrack Power Factor Correction Architecture," IEEE Applied Power Electronics Conference (APEC), San Antonio TX, 2018.
- [26] D. J. Perreault, K. K. Afridi, and M. Chen, "Switched Capacitor Split Drive Transformer Power Conversion Circuit," US Patent No. 9,825,545, issued Nov. 21, 2017.
- [27] W. Inam, K. K. Afridi and D. J. Perreault, "Variable Frequency Multiplier Technique for High-Efficiency Conversion Over a Wide Operating Range," IEEE Journal of Emerging and Selected Topics in Power Electronics, vol. 4, no. 2, pp. 335-343, June 2016.
- [28] D. M. Giuliano, M. E. D'Asaro, J. Zwart, and D. J. Perreault, "Miniaturized Low-Voltage Power Converters With Fast Dynamic Response,' IEEE Journal of Emerging and Selected Topics in Power Electronics, vol.2, no.3, pp.395-405, Sept. 2014.
- [29] C. Schaef, K. Kesarwani and J. T. Stauth, "A Variable-Conversion-Ratio 3-phase Resonant Switched Capacitor Converter with 85% Efficiency at 0.91 W/mm<sup>2</sup> using 1.1nH PCB-trace Inductors," IEEE International Solid- State Circuits Conference - (ISSCC), pp. 1-3, 22-26, Feb. 2015.
- [30] K. Kesarwani, R. Sangwan and J. T. Stauth, "Resonant Switched-Capacitor Converters for Chip-Scale Power Delivery: Design and Implementation," IEEE Trans. on Power Electron., early access.
- [31] Y. Lei, R. May and R. C. N. Pilawa-Podgurski, "Split-Phase Control: Achieving Complete Soft-Charging Operation of a Dickson Switched-Capacitor Converter," IEEE Trans. on Power Electron., vol.31, no.1, pp. 770-782, Jan. 2016.
- [32] Application Note: TI PMP9640 PFC Demo Board. Texas Instruments. Available at: http://www.ti.com/tool/PMP9640.
- [33] B. Mahdavikhah and A. Prodic, "Low-Volume PFC Rectifier Based on Nonsymmetric Multilevel Boost Converter," IEEE Transactions on Power Electronics, 2015.
- [34] S. Lim, "High Frequency Power Conversion Architecture for Grid Interface", Ph.D. Thesis, MIT, 2016.
- [35] Y. C. Li, F. C. Lee, Q. Li, X. Huang and Z. Liu, "A novel AC-to-DC adaptor with ultra-high power density and efficiency," IEEE Applied Power Electronics Conference and Exposition (APEC), 2016.
- [36] S. Moon, B. Chung, G. Koo, J. Guo and L. Balogh, "A conduction band control AC-DC Buck converter for a high efficiency and high power density adapter," IEEE Applied Power Electronics Conference and Exposition (APEC), 2017.
- [37] S. Pervaiz, A. Kumar and K. K. Afridi, "GaN-based high-power-density electrolytic-free universal input LED driver," IEEE Energy Conversion Congress and Exposition (ECCE), 2017.
- [38] Juan Santiago-Gonzalez, David Otten, Seungbum Lim, Khurram Afridi, and David Perreault, "Single Phase Universal Input PFC Converter Operating at HF," IEEE Applied Power Electronics Conference and Exposition (APEC), 2018.
- [39] L. Gu, W. Liang, M. Praglin, S. Chakraborty and J. M. Rivas Davila, "A Wide-Input-Range High-Efficiency Step-down Power Factor Correction Converter Using Variable Frequency Multiplier Technique," IEEE Transactions on Power Electronics, 2018.



Minjie Chen (S'10-M'15) received the B.S. degree from Tsinghua University in 2009, and the S.M., E.E., and Ph.D. degrees from Massachusetts Institute of Technology (MIT) in 2012, 2014 and 2015. He was a postdoctoral research associate at MIT in 2016. He joined the faculty of the Department of Electrical Engineering and Andlinger Center for Energy and the Environment at Princeton University in 2017, where he leads the Princeton Power Electronics Research Lab (PowerLab). His research interests are in the design of high performance power electronics for emerging and important applications.

Dr. Chen received the Dimitris N. Chorafas Award for outstanding doctoral thesis from MIT, a Transactions Best Paper Award from IEEE Power Electronics Society, an Outstanding Reviewer Award from IEEE Transactions on Power Electronics, and a Best Demonstration Award from IEEE ECCE.



Sombuddha Chakraborty (S'02-M'16) received the B.E. degree in Electrical Engineering from Indian Institute of Engineering Science and Technology, Shibpur in 2001, and the M.S, and Ph.D. degrees in Electrical Engineering from University of Minnesota, Minneapolis, in 2003, and 2005, respectively.

From 2006 to 2007, he was Design Engineer at General Electric Lighting Institute, Cleveland, OH. From 2008 to 2013, he was System Design Engineer and Manager at Volterra Semiconductors, Fremont,

CA. Since 2014, he is at Power Electronics Research Group, Kilby Labs, Texas Instruments at Santa Clara, CA.

His primary research interest includes design of high density offline and dc-dc power management system for computing, automotive and industrial applications.



David J. Perreault (S'91-M'97-SM'06-F'13) received the B.S. degree from Boston University, Boston, MA, and the S.M. and Ph.D. degrees from the Massachusetts Institute of Technology, Cambridge, MA. In 1997 he joined the MIT Laboratory for Electromagnetic and Electronic Systems as a Postdoctoral Associate, and became a Research Scientist in the laboratory in 1999. In 2001, he joined the MIT Department of Electrical Engineering and Computer Science, where he is presently Professor of Electrical Engineering. He has held multiple roles

within the EECS department, most recently as Associate Department Head from November 2013 to December 2016. His research interests include design, manufacturing, and control techniques for power electronic systems and components, and in their use in a wide range of applications. He also consults in industry, and co-founded Eta Devices, inc. (acquired by Nokia in 2016) and Eta Wireless, inc., startup companies focusing on high-efficiency RF power amplifiers. Dr. Perreault received the Richard M. Bass Outstanding Young Power Electronics Engineer Award, the R. David Middlebrook Achievement Award, the ONR Young Investigator Award, and the SAE Ralph R. Teetor Educational Award, and is co-author of ten IEEE prize papers.